APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date	of filing in State Engineer's Office. AUG.51974
Retu	rned to applicant for correction SEP 1 2 1974
Corr	ected application filed SEP 2 3 1974 Map filed SEP 2 3 1974 under 28575
	applicant Preferred Equities Corporation
	325 South Maryland Parkway of Las Vegas Street and No. or P.O. Box No. City or Town
	Nevada 89101 , hereby makes application for permission to change the State and Zip Code No.
	Place of Use and Manner of Use
of w	ater heretofore appropriated underApplication and Permit No. 17720
	(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
	The source of water is underground source Name of stream, lake or other source.
	The amount of water to be changed 3.40 cfs Second feet, acre feet.
3.	The water to be used forquasi-municipal
4.	
	The water heretofore used for irrigation and domestic purposes. If for stock state number and kind of animals. The water is to be diverted at the following point. NE SE OF Section 8, T.19S., R.53E.,
5.	NE corner M.D.B.&M. of said Section 8 bears North 01° 47' 26" East a distance Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be of 2654.87 feet. stated.
6.	The existing point of diversion is located within
	If point of diversion is not changed, do not answer.
7.	Proposed place of use E ¹ / ₂ SE ¹ / ₄ Section 7; S ¹ / ₂ SE ¹ / ₄ NW ¹ / ₄ and the S ¹ / ₂ of Section 8; Describe by legal subdivisions. If for irrigation state number of acres to be irrigated. Section 9; SW ¹ / ₄ NW ¹ / ₄ and SW ¹ / ₄ of Section 10; NW ¹ / ₄ Section 16; N ¹ / ₂ of
	Section 17 and the N ¹ / ₂ NE ¹ / ₄ of Section 18 all in T.19S., R.53E., M.D.B.&M., Nye County, Nevada
8.	Existing place of use 179.29 acres within W1. NW1. W1. SW1. Section 9. Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated. W1. NW1. Section 16, NE1. Section 17, T.19S., R.53E.
9.	Use will be from January 1st to December 31st of each year. Day and Month Day and Month
10.	Use has been from March 1st to September 1st of each year. Day and Month Day and Month
11.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) well eletric pump and approximately State manner in which water is to be diverted, whether by dam or other works,
	three miles of underground water line. whether through pipes, ditches, flumes, or other conduits.

13. Estimated time requi	ired to construct works	five years
14. Estimated time requi	red to complete the applicati	ion of water to beneficial use seven years
15. Remarks: For use of	her than irrigation or stock v	watering, state number and type of units to be served or annual
consumptive use.		
This amended	application is s	submitted to correct a typographical
error under	the prior filing	for Permit #11720 which should have
	as corrected here	
	.,,	
Compared 10/1k	lk/jw	Applicant Preferred Equities Corporat
, w. v a.	to a company with	By s/ Richard J. Baughman Richard J. Baughman Agent
	APPROVAL	2325 West Charleston Blvd OF STATE ENGINEER as, NV 89102
This is to certify that	at I have examined the foreg	going application, and do hereby grant the same, subject to the
ollowing limitations and c	conditions:	
.7720 and with trill be affected equipped with a nstalled and n	the understanding I by the change po 2-inch opening an maintained in the	tofore granted under Permit 17720 nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed
.7720 and with the cill be affected equipped with a constalled and more of diversion and constalled and the vork is filed. In area designation of the State retains.	the understanding by the change por 2-inch opening as maintained in the discurate measurese. The totalizing vater begins or be If the well is fitted by the State Ins the right to reat any and all times.	nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water
17720 and with the vill be affected equipped with a constalled and more of diversion and to beneficial using use of the vork is filed. In area designate the State retainment of the State retainment	the understanding by the change por 2-inch opening as maintained in the discurate measurese. The totalizing vater begins or be If the well is fitted by the State I are the right to rest any and all timeet.	nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes.
The amount of water to large and material and material use of the vork is filed. The state retain a series of the state retain area designated as the state retains of the state	the understanding of by the change properties of the change properties. The totalizing vater begins or become the well is fitted by the State last the right to rest any and all timeet.	nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes.
7720 and with to ill be affected equipped with a stalled and more of diversion and to beneficial using use of the vork is filed. Independent of the State retainment of the state retainment of the amount of water to be exceed.	the understanding by the change position opening as maintained in the discourate measurement. The totalizing the well is fitted by the State I has the right to reat any and all timeet.	that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed
.7720 and with to vill be affected equipped with a stalled and more of diversion and to beneficial using use of the vork is filed. In area designate the State retainment of granted at See attached shows a second	the understanding by the change property and a courate measures. The totalizing vater begins or be a courate waste. The well is find the well is find prevent waste. The state of the right to reat any and all times. The changed shall be limited the changed shall be s	nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. to the amount which can be applied to beneficial use, and not cubic feet per second but not to exceed
27720 and with the vill be affected equipped with a construction and the construction work is filed. The state retainment of the state retainment of the state retainment of the amount of water to be exceed	the understanding by the change posterior opening as maintained in the change in the contract measurement. The totalizing vater begins or best of the well is for prevent waste. The state is the right to reat any and all times the changed shall be limited the changed shall be limited the changed shall be limited the changed shall be shall begin on or before.	nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed February 20, 1975
17720 and with the vill be affected equipped with a construction and so beneficial used to be so beneficial used to beneficial used to be so beneficial used to be so beneficial used to be so benef	the understanding by the change property and a courate measures. The totalizing vater begins or best of the well is fitted by the State Instituted by	nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. to the amount which can be applied to beneficial use, and not cubic feet per second but not to exceed February 20, 1975 March 20, 1975
27720 and with the vill be affected equipped with a construction and so beneficial using use of the vork is filed. In area designate the State retainment of granted at See attached shall be amount of water to be exceed	the understanding by the change positions and intained in the discourate measurement. The totalizing vater begins or best to prevent waste. The well is find the well is find the right to reat any and all times. The changed shall be limited be changed shall be limited be work shall be filed before. With reasonable diligence and all direct with reasonable diligence and all the shall be sha	that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. to the amount which can be applied to beneficial use, and not cubic feet per second but not to exceed February 20, 1975 March 20, 1975 March 20, 1975 March 20, 1975
27720 and with the vill be affected equipped with a construction and to beneficial used to be entire and the state of the virtual construction work is filed. The state retainment of the state retainment of the amount of water to be exceed	the understanding by the change posterior opening as maintained in the discourate measurement. The totalizing vater begins or best of the well is for the well is for the well is for the rest of the state of the state of the state of the state of the right to rest any and all times. The changed shall be limited be changed shall be limited before with reasonable diligence as the shall be filed before.	nd conditions imposed in said Permit that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. to the amount which can be applied to beneficial use, and not cubic feet per second but not to exceed February 20, 1975 March 20, 1975 March 20, 1975 March 20, 1975
17720 and with the vill be affected equipped with a construction and to beneficial use any use of the vork is filed. In area designate the State retainment of water to be exceed	the understanding a by the change property and a courate measures. The totalizing vater begins or bear of the well is find the state of	that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ing meter must be installed before efore the proof of completion of lowing, a valve must be installed. This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. To the amount which can be applied to beneficial use, and not cubic feet per second. But not to exceed February 20, 1975 March 20, 1975
17720 and with to vill be affected equipped with a installed and more diversion and to beneficial use any use of the vork is filed. In area designate the State retainment of granted at See attached shows a see attached shows a second of commencement of the state of the amount of water to be a second of commencement of the second of completion of work application of water to be a second of the application of t	the understanding a by the change position opening as a maintained in the change in the change in the change of the totalizing water begins or best of the well is for the well is for the compression of the state of the state of the state of the changed shall be limited be changed shall be limited be changed shall be filed before. The totalizing water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be made of the water to beneficial use shall be water to be wat	that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. To the amount which can be applied to beneficial use, and not cubic feet per second but not to exceed February 20, 1975 March 20, 1980 If be filed on or before March 20, 1980
17720 and with to vill be affected equipped with a last alled and more diversion and to beneficial use any use of the vork is filed. In area designate the State retainment of granted at See attached shows a second of commencement of the state of the amount of water to be second of completion of work must be prosecuted the proof of completion of work application of water to be shown in support of proof of the application of	the understanding a by the change por 2-inch opening are maintained in the change in a courate measured accurate measured accurate measured accurate measured and the compression of the well is for a compression of the state of the state of the changed shall be limited as the right to react any and all times and all be filed before. The totalized before and the shall be filed beneficial use shall be filed benefic	that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ng meter must be installed before efore the proof of completion of lowing, a valve must be installed This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. to the amount which can be applied to beneficial use, and not cubic feet per second. but not to exceed February 20, 1975 March 20, 1980 Il be filed on or before March 20, 1980 d on or before March 20, 1980
17720 and with to vill be affected equipped with a last alled and more diversion and to beneficial use any use of the vork is filed. In area designate the State retainment of granted at See attached shall be a seed. See attached shall be a seed. 861.45 acre Actual construction work Proof of commencement of water to be a seed. Proof of completion of work application of water to be a seed.	the understanding by the change property and all the change property and all the change in the change in the contract measurement. The totalizing water begins or begins the well is find the state in the right to reat any and all times the right to reat any and all times. The changed shall be limited be changed shall be filed before. The totalizing the change of work shall be filed before. The change of t	that no other rights on the source roposed herein. The well shall be nd a totalizing meter must be discharge pipeline near the point ements must be kept of water placed ing meter must be installed before efore the proof of completion of lowing, a valve must be installed. This source is located within Engineer pursuant to NRS 534.030. egulate the use of the water mes. To the amount which can be applied to beneficial use, and not cubic feet per second. But not to exceed February 20, 1975 March 20, 1975

 $\ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots$

August 1

Terms: 28577

This permit is issued subject to the use applied for under this application and terminates the right to use for irrigation purposes. The period of use varies under Permits 28575 through 28580, inclusive, and the granting of this permit grants the right of use, for the entire year providing the total annual duty under the above referenced rights is not exceeded.

Further, this right to change the manner of use is issued on condition that any and/or all of the 4,942.00 acre-feet total annual duty granted that is not placed to a beneficial use will revert back to the source and not to the right being changed.

The combined total duty under this permit and Permits 28575, 28576, 28578, 28579 and 28580 is limited to 4,942.00 acre-feet of water annually.